



YUAN YANG FROZEN MACHINE CO.,LTD

www.yuanyang.com.tw



OS



Facebook



WeChat

YangLaVie[®]
PROFESSIONAL COFFEE & TEA

e. Blenders[®]

MAX-MIXER PRO[®]

台北市萬華區環河南路一段19之1號
No.19-1, Sec. 1, Huanhe S. Rd., Wanhua Dist., Taipei City, Taiwan
T: 886-2-2311-1877 F: 886-2-2311-1881

新北市五股區五工三路107號
No.107, Wugong 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan
T: 886-2-2298-4589 F: 886-2-2298-4587



元揚專業餐飲設備

YUAN YANG FROZEN MACHINE CO., LTD.



元揚 YUAN YANG

Founded in 1976 and led by General Manager Tsai Wen-Hung, Yuan Yang Frozen Co., Ltd. has been deeply rooted in the catering industry for over four decades. Driven by a commitment to professionalism, premium quality, and steady growth, the company continuously strives to elevate the competitiveness of Taiwan's catering sector. With a core focus on innovation, stability, and refinement, Yuan Yang designs and develops a diverse range of high-end catering equipment to meet evolving consumer needs. To further empower the local industry, the company has established a specialized factory dedicated to producing advanced commercial catering machinery and refrigeration equipment.

Leveraging its extensive industry expertise, Yuan Yang has successfully guided thousands of clients globally, spanning markets in Taiwan, Japan, Thailand, Malaysia, mainland China, Singapore, the United States, and Australia. The company provides aspiring catering entrepreneurs with comprehensive kitchen equipment and professional operational planning. From product conceptualization, financial analysis, and site selection to equipment procurement, interior design, and grand opening guidance, Yuan Yang offers a seamless, high-quality, one-stop solution. This end-to-end service optimizes start-up capital, enhances market competitiveness, and lays a solid foundation for business success.

Adhering to a philosophy of steady, pragmatic growth and uncompromising quality, Yuan Yang continues to strengthen our brand image and develop benchmark products that drive corporate value and industry excellence.

In response to shifting catering market dynamics, we closely monitor and anticipate market trends to research and develop professional-grade food and beverage equipment. Harnessing creativity to explore endless possibilities, we pride ourselves on delivering premium, Made-in-Taiwan (MIT) solutions. Our extensive product portfolio includes high-performance juicers, commercial slush machines, batch smoothie/ice cream machines, traditional ice shavers and snow ice shavers, waffle/grid cake bakers, and fructose dispensers. We also specialize in beverage automation, offering automatic sealing machines, steam/hot water dispensing machines, bubble tea blenders, innovative commercial milk tea dispensing systems, and tea brewing machines.

Beyond individual appliances, Yuan Yang leverages its manufacturing power to provide large-scale turnkey infrastructure, including commercial cold storage systems, centralized kitchen facilities, fully automated popsicle production lines, and industrial-scale shaved ice manufacturing plants.

International clients with cooperation



Cold Drink Dispenser

Cool Summer
Fresh Every Sip

- Powerful Cooling (3–5°C)**
Keeps beverages perfectly chilled for long-lasting freshness
- Continuous Stirring**
Prevents sediment and separation for a consistently smooth taste
- High-Flow Outlet**
Fast dispensing design for quick cup filling during peak hours
- Versatile & Multi-Purpose Suitable for**
 - Concentrated juices
 - Fresh juices
 - Tea drinks / Lemonade / Herbal beverages



MT10

MT30

Specifications

Model	Dimension	Voltage	Watt	Capacity	Cooling system	G.W. / N.W.
MT10	21(L) x 46(D) x 59(H)cm	110V 50/60Hz 1Ph 220V 50/60Hz 1Ph	320W	12L	AIR	19Kg / 20Kg
MT20	41(L) x 46(D) x 59(H)cm		420W	12L x2		30Kg / 32Kg
MT30	61(L) x 46(D) x 59(H)cm		770W	12L x3		37Kg / 39Kg

Cooling time may vary depending on environmental factors and the initial temperature of the mixture.

SLUSH MACHINE

Ultimate Slush Experience
Feel the Perfect Chill

Smooth, icy, and refreshing
Every sip delivers pure satisfaction



SH-2GL

- Ideal Temperature**
0°C ~ 5°C for perfectly smooth slush texture
- Continuous Mixing**
Prevents separation and ensures a consistent taste
- Freshness Preservation**
Locks in flavor, keeps drinks fresh longer
- Durable & Reliable**
Stable performance for commercial use



SH-1GL

SH-2GL

Specifications

Model	Dimension	Voltage	Watt	Capacity	Cooling Method	N.W. / G.W
SH-1GL	33(L) x 49(D) x 79(H)cm	110V 50/60Hz 1Ph 220V 50/60Hz 1Ph	900W	12L	AIR	33Kg/35Kg
SH-2GL	43(L) x 49(D) x 79(H)cm		1100W	12L x 2		50Kg/55Kg
SH-3GL	63(L) x 49(D) x 79(H)cm		1500W	12L x 3		66Kg/71.5Kg

Slush formation time varies based on ambient and initial ingredient temperatures.

Batch Freezer for Ice Cream and Smoothies

One Machine, Transforms The Entire Ice Cream Shop!

From ice cream to smoothies, everything can be made in one machine.



M350 / M3560

It creates a wide variety of ice cream flavors, ice cream cakes, and custom specialty fruit ice creams. Beyond ice cream, it also whips up slushies.

Specifications

Model	Dimension	Voltage	Capacity	Manufacture	Compressor	Mixer	Cooling
M350	63.7x91.9x132cm	220V / 50/60Hz 1 / 3Ph	20L	80L / H	3.5HP	2HP	Water/Air
M3560	67.2x101.4x142cm	380V / 50/60Hz 3Ph	36L	144L / H	5HP	5HP	Water

Actual ice-making time varies based on surrounding conditions, temperature, heat dissipation, water temperature, ingredients, and the preparation SOP.

Snow Ice Block Machine

Effortlessly Create Premium Shaved Ice

Ultra-fine texture • A smooth, melt-in-your-mouth experience.
Dual-color ice blocks • Infinite flavor creations



Specifications

Model	Dimension	Voltage	Watt	Capacity	Compressor	Mixer	Cooling
SM-600-16	100x85x100/116cm	220~240V / 50/60Hz 1 / 3Ph	3500W	16 block	3HP	1/2HP	Water/Air
SM-600-24	135x85x100/116cm		4500W	24 block	3.5HP	1/2HPx2	Water/Air
SM-600-32	240x85x91cm		9000W	32 block	3.5HPx2	2HP	Air
SM-600-48	345x90x80cm	380V / 50/60Hz / 3Ph	13000W	48 block	5HPx2	3HP	Air
SM-600-24	168x85x110cm		6000W	24 block	5HP	1HP	Air

Freezing time varies based on ambient temperature and initial ingredient temperature.



TEA & MILK CAP		
Green Tea Milk Cap	75	
Black Tea Milk Cap	75	
Oolong Tea Milk Cap	75	
Matcha Milk Cap	80	
JUICE		
Orange Juice	75	
Kiwi Juice	75	
Mixed Fruit Juice	80	

Multifunctional Smart Tea Blender

Tea Drinks | Cream Foam Tea | Frothing Cream for Coffee | Fruit Smoothies
Fresh Juices | Instant Brews | Mixed Specialty Drinks

GOOD TEA
GOOD DAY



Specifications

Model	Dimension	Voltage	Watt	Capacity	Function
EJ 816	19(L) x 21(D) x 23 52 (H)cm	110V 50/60Hz 1Ph	1300W	1200cc	Tea Extracts • Instant Drinks • Juices Smoothies • Milk Foam • Milk Toppings
EJ 817		220V 50/60Hz 1Ph		2000cc	



From brewing tea and frothing milk to crafting smoothies and fresh juices, this all-in-one machine meets every beverage shop's needs.

Switch cups to easily create a variety of delicious recipes!



Milk foam Jar

Create rich, velvety milk foam in seconds to perfect your specialty drinks.



Shaker Jar

It reduces tea bitterness, enhances the aroma, and perfectly blends sugar, tea, and ice. The resulting fine foam delivers a much smoother taste.



Tea Jar

Fully extracting the tea leaves releases their true, original flavor. This ensures a fresh, aromatic, and naturally sweet brew.



Smoothie Jar

In just 1 minute and a few simple steps, easily whip up refreshing summer treats and drinks.

MAX-MIXER PRO[®]

A Glass a Day for Natural Freshness and Health.

Tailored for raw food diets, this blender quickly processes fruits, vegetables, grains, and nuts. By breaking down cell walls, it delivers a perfectly smooth texture that maximizes nutrient absorption. Effortlessly whip up smoothies, fresh juices, and nutritious whole-grain drinks.



MP3P

MP3.5

MP3R

Specifications

Model	Dimension	Voltage	Watt	Capacity	Function
MP3P	19(L) x 21(D) x 23/52(H)cm	110V 50/60Hz 1Ph	1500W	2000cc	Instantaneous speed adjustment
MP3R		220V 50/60Hz 1Ph	1500W		Multi-speed transmission
MP3.5P			1800W		Instantaneous speed adjustment

e. Blenders[®]

A Glass a Day for Natural Freshness and Health.

One Machine for Smoothies, Juices & More Fresh · Health · Simply Delicious

- High-speed blending for a smooth and delicate texture
- Preserves the original flavor and nutrients of ingredients
- Powerful motor easily blends all kinds of vegetables, fruits, and grains
- Easily make various fruit juices, vegetable drinks, nut drinks, yogurt, oat drinks, and smoothies, saving time and effort.



EJ 747P

Smart Multi-Speed Blending
Choose from multiple modes based on your ingredients. The blender automatically adjusts speed levels for smoother juices, smoothies, and soy milk.



EJ 747R

Flexible Speed Selection
Switch between high and low speed to handle juices, smoothies, and various drink textures with ease.



EJ 767

Specifications

Model	Dimension	Voltage	Watt	Capacity	Function
EJ 747P	19(L) x 21(D) x 23 / 46 / 52 / 58(H)cm	110V 50/60Hz 1Ph 220V 50/60Hz 1Ph	1300w	2000cc 2500cc	Variable speed
EJ 747R					Preset Multi-speed Program
EJ 767					High and low speed



Fully Automated Popicle Production Plants Your Turnkey Planning and Setup Solution Custom-engineered for your specific space and needs.

Fully automatic popicle machine
(filling, freezing, packaging)

We provide comprehensive turnkey services for automated popicle manufacturing—covering everything from equipment and technology to factory planning and mass production. Our goal is to help you quickly build a high-efficiency, standardized, and high-volume production line for any popicle type.

With a professional technical team and rich experience in equipment integration, we offer turnkey popicle plant solutions—from layout planning and workflow configuration to machinery installation, process integration, and operational training. We make your transition from blueprint to mass production effortless and efficient. Whether for startups, food factory upgrades, or high-volume expansion, we customize the ideal setup based on your space, capacity needs, and budget.



Modular cold storage

Large popicle machine

Mini popicle machine

Automatic Popicle Demolder

Tabletop packing machine

Multi-Functional Frozen Dessert Machine
Capable of producing gelato, popsicles, snow ice blocks, fruit sorbet, craft ice cream, and a wide variety of specialty frozen treats.

Gelato Dipping Cabinet

Automated Filler



Commercial Ice Machines

Designed for the Foodservice Industry

A reliable ice machine is the backbone of every successful business. From iced coffees and craft beverages to daily foodservice needs, it ensures a seamless ice supply to keep your operations running flawlessly.



Moon-Shaped Ice

Ice Cubes

Specifications

Model	Dimension	Voltage	Ice Type	Daily Output
YLD-150	53x60x77cm	110V/220 50/60Hz 525W	Ice cubes	60kg
YLD-450	56x82x52cm	110V/220 50/60Hz 850W	Ice cubes	180kg
YLM-460	56x89x58cm	110V/220 50/60Hz 850W	Moon-shaped ice	168kg
YLM-980	56x89x86cm	220V 50/60Hz 1650W	Moon-shaped ice	390kg

Commercial induction cooktop

Precise temperature and timer controls

maximize cooking efficiency.

Designed for versatile commercial kitchens, this induction cooktop offers customizable time and temperature settings. Ideal for simmering soups, heating drinks, reducing sauces, or long-term warming. Precise profiling by ingredient guarantees consistent results and accelerated service speed.



Specifications

Model	Dimension	Voltage	Watt
SY 35A	35.5x43.5x13cm	220V 50/60Hz 1Ph	3500W

Fresh Ice· Soft Snow· Endless Summer Flavor·

Commercial Shaved Snow Machine

Cool off this summer, and enjoy an upgraded taste!

Engineered to craft velvety, delicate shaved ice and premium snow ice creations—the ultimate solution to boost dessert sales during the peak summer season.



Specifications

Model	Dimension	Voltage	Watt
S108/D	42x32x70/86cm	220V 50/60Hz 1Ph	240W
S208/D			
S308/D			

Code name D is for shaved Snow machine

Commercial Espresso Machine

**Premium Tabletop Espresso Machine
Water Dispenser
Tea Extractor
Drip Coffee Maker**



YCTL 02



YCTL 01



YCTL 03

This machine features dual extraction modes for both tea and coffee.

- COFFEE/TEA- Versatile brewing options
- Commercial-grade boiler design ensures continuous output without pressure drop
- Simultaneous Dispensing: Doubles your speed and boosts operational efficiency.
- Dual-Function Steam & Hot Water: High-pressure steam for rapid, velvety milk frothing.



Specifications

Model	YCTL 01	YCTL 02	YCTL 02	YCTL 03
Dimension	44 x 55 x 55 cm	55 x 55 x 55 cm	65 x 55 x 55 cm	90 x 55 x 55 cm
Voltage	220V 50/60Hz 1Ph			
Watt	2000W	3000W	4000W	6000W
Boiler	6L	10.5L	13L	14.8L

Featuring a sleek, modern aesthetic and a compact footprint, this premium brewer delivers maximum performance while saving valuable counter space. It is a highly versatile, cost-effective solution that functions perfectly as a dedicated coffee machine, a specialized tea brewer, or a hybrid of both.

Machine Voltage: 220V 1Ph
Temperature Control: 80°C~96°C
Wattage: 2500W

Program Controls:
4-stage coffee brewing control
4-stage pour-over coffee control
8-stage tea extraction control
4-stage tea brewing control

Steam & Hot Water Dispenser

Rapid Heating. Effortless Brewing. Maximum Bar Efficiency.



YMSH -15D

YMSH -26C

Engineered for cafés, boba shops, breakfast diners, and commercial beverage bars, this premium steam and hot water dispenser combines rapid heating and precise dispensing into one compact footprint. From milk teas and specialty coffees to cocoa, soy milk, and matcha, this heavy-duty unit is built to withstand rigorous daily use while maximizing bar workflow.



YMSH -15
Steam & Hot Water



YMSH 26D2
Dual auto-stop
steam wands



YMSH 26D
Features preset auto-stop
hot water dispensing
alongside manual steam control.



YMSH 26
Steam & Hot Water



Specifications

Model		Dimension	Voltage	Watt	Boiler
YMSH -15	YMSH -15D	30(L) x 49.5(D) x 64(H)cm	220V 50/60Hz 1Ph	3500W	15L
YMSH -26	YMSH -26D	26.5(L) x 42(D) x 64(H)cm		2700W	10L
YMSH -26C	YMSH -26D2				

Tea Brewer

Multiple Tea Options,
One-Touch Perfection.

- Customized Recipes for All Tea Types: Adjustable temperature, volume, and steep times guarantee a perfect brew for green tea, black tea, oolong, and beyond.
- Automated Standardization: Preset parameters eliminate flavor variances caused by staff turnover or varying experience levels. Consistent quality is now guaranteed.
- Streamlined Workflow & Labor Savings: One-touch operation removes the need for constant monitoring, allowing staff to shift their focus to order fulfillment and customer service.
- Advanced Thermal & Volumetric Precision: Matches optimal brewing conditions to each tea variety, unlocking the deep aroma, rich layers, and complex flavors of the leaves.
- Enterprise Scaling & Chain Readiness: Perfect for both local storefronts and global franchises, making multi-location quality control easier and more efficient than ever.



Specifications

Model	Dimension	Voltage	Watt	Water Tank	Hot Water	N.W. / G.W	Fits tea containers up to 30 cm tall.
YMFH-1	26x42x72cm	220V 50/60Hz 1Ph	5800W	2.5L	●	18.6/21Kg	

Smart Instant Heating Tea Brewer

AI-powered one-touch brewing ensures consistent tea preparation.

Smart one-touch brewing. Perfect tea, every time.

- Precision Portioning: Consistent output, minimal waste, and standardized quality.
- One-Touch Brewing: Zero learning curve, slashing staff training costs.
- Rapid Continuous Output: Beats peak-hour rushes to boost throughput and revenue.
- All-in-One Versatility: Perfectly brews black tea, green tea, milk tea, fruit tea, and coffee.
- Commercial-Grade Durability: Built tough for uninterrupted, long-term operation.



Specifications

Model	Dimension	Voltage	Watt	Water Tank	Hot Water	N.W. / G.W	Fits tea containers up to 30 cm tall.
XSR-5000	26x42x75.8cm	220V 50/60Hz 1Ph	3600W	5L	●	26/28.5Kg	

Commercial Smart Tea Brewer

A New Standard for Smart Tea Brewing

One-touch AI intelligent tea brewing ensures consistent flavor in every brew.No more reliance on experience; every cup of tea is precisely consistent.

Solves your staffing challenges and standardizes your quality in one smart investment.

Four Core Advantages

- Total Precision Control Automates temperature, time, and stirring. Delivers foolproof consistency while cutting training costs and barista dependency.
- High-Capacity Thermal Boiler Guarantees a steady flow of hot water to protect your drink quality through the busiest peak hours.
- Stir-Brewing Tech Unlocks the deep, authentic essence of tea leaves for a richer, more uniform, and highly stable taste.
- Auto-Brewing | Advanced Time & Temp Precision



Specifications

Model	Dimension	Voltage	Watt	Water Tank	Hot Water	N.W. / G.W	Fits tea containers up to 30 cm tall.
XSR-AI5000	26x42x75.8cm	220V 50/60Hz 1Ph	3600W	10L		27.5/29.5Kg	

Popcorn Machine

CINEMA-STYLE POPCORN, MADE EFFORTLESS



Specifications

Model	Dimension	Voltage	Capacity	Watt
LPC 39D	53x39x64cm	110V 50/60Hz 1Ph 220V 50/60Hz 1Ph	8 Oz	1197W

Automatic Orange Juicer

Designed for fast, fresh, and high-efficient juice service.



Specifications

Model	Dimension	Voltage	Watt	Fruit diameter
M52	41x59x102cm	110V 50/60Hz 1Ph 220V 50/60Hz 1Ph	500W	About 9cm

Automatic Cup Sealing Machine

Precision Sealing. Premium Experience.
Clean • Secure • Effortless

- Effortless Setup, Quick Start
- One-Touch Sealing (Fits 500–700cc Cups)
- Leak-Proof & Hygienic Protection
- Compatible with Paper & Plastic Cups
- Safety Guard for Peace of Mind
- Boost Efficiency. Lower Costs.

Specifications

Model	Dimension	Voltage	Watt
M168	32x42x60cm	110V 50/60Hz 1Ph 220V 50/60Hz 1Ph	400W



Milkshake Machine



The exclusive design guarantees superior, uniform mixing for a wide range of beverages, including milk foam and milkshakes.



Dual-blade stirring ensures thorough and even mixing.



Rotation speed and processing time can be fully customized to meet specific product requirements.



Ideal for preparing standard shakes, milk foam, milkshakes, and more.

Specifications

Model	Dimension	Voltage	Watt	Capacity	Color
NX10	185x180x510mm	110V 50/60Hz	350W	500cc ~ 1000cc	Black/Silver/White

Precision Dosing. Consistent Results. Fructose Dispenser

One-Touch Control | Faster Workflow | Maximum ROI

- Accurate Dosing
Precise output with zero waste
- Intuitive Operation
One-touch setting for instant dispensing
- High Efficiency
Accelerate drink service & boost productivity

Specifications

Model	Dimension	Voltage	Capacity	Watt
EZ 750	21x45.5x41cm	110V 50/60Hz 1Ph	7.5L	30W
EZ 850	25x38x41cm	220V 50/60Hz 1Ph	8.5L	

